


THIS DRAWING IS THE PROPERTY OF "SILICON" STRUCTURALS AND SHOULD NOT BE USED FULLY OR PARTLY FOR ANY OTHER PURPOSE OTHER THAN THAT ISSUED FOR WITHOUT THE PRIOR PERMISSION. ALL DIMENSIONS ARE TO BE READ AND NOT TO BE MEASURED. ALL DIMENSIONS ARE IN MILLIMETERS. PLEASE REFER CORRESPONDING STRUCTURAL/OTHER SERVICES DRAWINGS ALONG WITH THIS DRAWING. ANY AMBIGUITY FOUND SHOULD BE BROUGHT TO ARCHITECTS NOTICE IMMEDIATELY.

| | | | |
|----------------------|----------|---------------|--------------|
| 0 | 01-10-09 | FOR EXECUTION | 06 |
| NO | DATE | PRINTS ISSUED | DISTRIBUTION |
| DISTRIBUTION OF COPY | | | |
| ↑ | | | |
| REVISIONS | | | |
| NO | DATE | REMARKS | BY |
| RD | 01-10-09 | FOR EXECUTION | |




LEGEND :

- BRICK WALL
- R.C.C. COLUMN
- R.C.C. RETAINING WALL

NOTE :

- * ALL DIMENSIONS ARE IN MM. & TO BE VERIFIED WITH ARCH. DWG.
- * APPROVED MIX CONCRETE DESIGN OF GRADE M:25 SHOULD BE USED UNLESS SPECIFIED.
- * Fe 415 REINFORCEMENT (TMT BARS) SHOULD CONFIRM IS:1786-2000.
- * CLEAR COVER TO REINFORCEMENT SHALL BE 25mm IN BEAM 20mm IN SLABS, 40mm IN COLUMN, 50mm IN FOOTING
- * ANY DISCREPANCY IN DRAWING SHALL BE BROUGHT TO THE NOTICE OF DESIGN ENGINEER.
- * DRAWING TO BE READ WITH ARCH. SUPPORT DRG.
- * STRUCTURE IS DESIGNED FOR GROUND + TWO FLOORS ONLY WITH FUTURE PROVISION OF ONE FLOOR
- * THE BLDG IS DESIGNED FOR ZONE-III AS PER IS:456-2000, IS:1893-2002



CLIENT: CADILA HEALTHCARE LTD. AHMEDABAD.

PROJECT: ZYDUS CENTRE FOR EXCELLENCE, AHMEDABAD

PROJECT NO: 104-09 DWG. NO.: INS-ST-05

DWG. TITLE: PHASE - I INSTITUTE BLOCK PLINTH BEAM LEVEL LAYOUT

WORKING DRAWING

SCALE: 1:75
 DATE: 01-10-09
 DEALT: RSP
 PATH: -

ARCHITECT: SNEHAL SHAH
 1/B, AVANTIKA SOCIETY, NARARUPURA, AHMEDABAD 380 013, INDIA.
 TELE: (079) 2783 3001 / 02 / 03, FAX: (079) 2783 3008, e-mail: ssha@sneshalshah.com

STRUCTURAL ENGINEER: " SILICON " ENGINEERING CONSULTANTS PVT LTD. DIPAK BHAVSAR
 315/ Patel Avenue, Near Gurudwara S.G. Highway Thaltej Ahmedabad 380059 e-mail: dipak@siliconoutsourcing.net Ph: +91-7940031887