



**BOTTOM OF BASE PLATE LAYOUT & COLUMN CENTERLINE**

NOTE: SHOWS OF BOTTOM OF BASE PLATE LEVEL



**KEY PLAN**

**CONSULTANTS**

STRUCTURE  
SILICON ENGINEERING  
CONSULTANTS PVT LTD  
E-mail: info@siliconec.com  
PH : +91-7940031887  
www.siliconec.com

PRINT SCHEDULE				REVISION				
DATE	NO. OF PRINT	CLIENT	CONTRACTOR	PKC	OTHERS	DATE	DESCRIPTION FOR EXECUTION	DRAWN BY
						08-05-2014		NKHL

**GOOD FOR CONSTRUCTION**

DRAWING TITLE : **CONTROL CENTER  
BOTTOM OF BASE  
PLATE LAYOUT**

SCALE: AS SHOWN (A1) DATE : 08-05-2014  
DRAWN BY : NIKHIL

D.W.C.  
ST-42  
R0

**GENERAL NOTES**

- ALL DIMENSIONS ARE IN MM. & TO BE VERIFIED WITH ARCH. DWG.
- ANY DISCREPANCY IN DRAWING SHALL BE BROUGHT TO THE NOTICE OF DESIGN ENGINEER.
- APPROVED MIX CONCRETE DESIGN OF GRADE M20 SHOULD BE USED UNLESS SPECIFIED.
- Fe 415 REINFORCEMENT (TMT BARS) SHOULD CONFIRM IS:1786-2000.
- CLEAR COVER TO REINFORCEMENT SHALL BE 25mm IN BEAM 20mm IN SLABS, 40mm IN COLUMN, 50mm IN FOOTING.
- DEPTH OF FOUNDATION SHOULD BE MINIMUM 1.5 MT OR UP TO GOOD SOIL FROM EXISTING NATURAL GROUND LEVEL.